

UNITED STATES PATENT APPLICATION

OF

MOHAMED KANJI,

CARL ORR

AND

VALERIE ROBERT

FOR

**COSMETIC COMPOSITIONS COMPRISING AT LEAST ONE
POLYMETHYLSILSESQUOXANE FILM FORMER**

11/11/05 10:00 AM

LAW OFFICES

**FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000**

[001] This application is a non-provisional application based on U.S. provisional application No. 60/212,640, filed June 19, 2000, the disclosure of which is incorporated herein by reference.

[002] The present invention provides compositions comprising at least one polymethylsilsesquioxane film former and at least one film former different from the at least one polymethylsilsesquioxane film former. The inventive compositions may impart at least one property chosen from transfer resistance, long wear, and waterproof properties to cosmetic, dermatological and/or pharmaceutical products.

[003] Many compositions, including pigmented cosmetic compositions (such as foundations, mascaras, lip compositions, eyeliners), other cosmetic compositions, and sunscreen compositions, attempt to provide longer wear and transfer resistance. Compositions which form a film after application may exhibit such properties. Generally, film forming compositions contain volatile solvents which evaporate on contact with the skin or other keratinous material, and leave behind a layer comprising waxes and/or resins, and any pigments, fillers and active agents. Formation of a suitable film may require the liquid or carrier (solvent) to evaporate at a rate that allows a film to form continuously and to be free from imperfections.


[004] Different types of polymers have been used in an attempt to achieve such film formation. One such type of polymer is silicone resins. Silicone resin nomenclature is known in the art as "MDTQ" nomenclature,

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

whereby a silicone resin is described according to the various monomeric siloxane units which make up the polymer.

[005] Each letter of "MDTQ" denotes a different type of unit. The letter M denotes the monofunctional unit $(\text{CH}_3)_3\text{SiO}_{1/2}$. This unit is considered to be monofunctional because the silicone atom only shares one oxygen when the unit is part of a polymer. The "M" unit can be represented by the following structure:




[007] At least one of the methyl groups of the M unit may be replaced by another group, e.g., to give a unit with formula $[\text{R}(\text{CH}_3)_2]\text{SiO}_{1/2}$, as represented in the following structure:




[009] wherein R is chosen from groups other than methyl groups. Non-limiting examples of such groups other than methyl groups include alkyl groups other than methyl groups, alkene groups, alkyne groups, hydroxyl groups, thiol groups, ester groups, acid groups, ether groups, wherein the groups other than methyl groups may be further substituted.

[010] The symbol D denotes the difunctional unit $(\text{CH}_3)_2\text{SiO}_{2/2}$ wherein two oxygen atoms bonded to the silicone atom are used for binding to the rest of

the polymer. The "D" unit, which is the major building block of dimethicone oils, can be represented as:



[012] The symbol T denotes the trifunctional unit, $(\text{CH}_3)_2\text{SiO}_{3/2}$ and can be represented as:



[014] Similarly, the symbol Q denotes the tetrafunctional unit, $\text{SiO}_{4/2}$ wherein all four oxygens bonded to the silicone atom are bonded to the rest of the polymer.

[015] Thus, a vast number of different silicone polymers can be manufactured. Further, it would be clear to one skilled in the art that the properties of each of the potential silicone polymers will vary depending on the type(s) of monomer(s), the type(s) of substitution(s), the size of the polymeric chain, the degree of cross linking, and size of any side chain(s). For example, different properties will be observed depending on whether the backbone is a silicone chain with carbon-based side chains or is carbon-based with silicone side chains.

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

[016] Non-limiting examples of silicone polymers which may be useful in cosmetic compositions include silanes, siloxanes, siloxysilicates, and silsesquioxanes. A non-limiting example of such a siloxane is polydimethylsiloxane (PDMS). Polydimethylsiloxanes are generally composed of long straight chains of $(\text{CH}_3)_2\text{SiO}_{2/2}$ (i.e., D units) and have viscosities which are dependent on both the size of the polymer and the presence and nature of any substituent(s) on the polymer. A non-limiting example of a siloxysilicate is trimethylsiloxysilicate, which may be represented by the following formula:



(i.e, MQ units) wherein x and y may, for example, range from 50 to 80.

Silsesquioxanes, on the other hand, may be represented by the following formula:



[017] (i.e., T Units) wherein x may, for example, have a value of up to several thousand.

[018] Polymethylsilsesquioxanes are silsesquioxanes that do not have a substituent replacing the methyl groups. Certain polymethylsilsesquioxanes have previously been used in hair care compositions. See, e.g., U.S. Patent No. 5,246,694, the disclosure of which is incorporated herein by reference, which discloses a shampoo composition comprising a surfactant, an aqueous emulsion of highly viscous silicone in volatile silicone and a cationic polymer which is a derivative of guar gum. The highly viscous silicone disclosed therein may be chosen from silicone resins including a polymethylsilsesquioxane such as Resin MK (also called SiliconHarz MK) which is available from Wacker, and a

FILED IN CASE NO. 05-1333

SUBJECTS The subjects were 10 male students at the University of Illinois at Chicago who had no previous experience with the experiment. They received \$10 per hour for their participation.

[illegible][illegible][illegible]

[022] There is, therefore, a need for improved long wearing cosmetic compositions which limit transfer to other materials such as, for example, skin or fabric, *i.e.*, transfer resistant compositions, which also possess good cosmetic properties such as, for example, wearing comfort and waterproof properties, and which are not tacky or "draggy" during and after application.

[023] The present invention is directed to compositions which may overcome at least one of the aforementioned disadvantages and which may make it possible to obtain a film having at least one property chosen from long wear, transfer resistance and waterproof properties. The compositions may also provide at least one additional property chosen from flexibility, wearability, good drying time, good retention, lack of tackiness, and low migration over time.

[024] Thus, in one aspect, the present invention relates to compositions comprising at least one polymethylsilsesquioxane film former and at least one film former which is different from the at least one polymethylsilsesquioxane film former, wherein the at least one polymethylsilsesquioxane film former is present in an amount effective to provide at least one property chosen from long wear and transfer resistance. In one embodiment, the at least one polymethylsilsesquioxane film former is present in the inventive composition in an amount effective to provide both long wear and transfer resistance.

[025] In another aspect, the present invention relates to an emulsion comprising at least one polymethylsilsesquioxane film former and at least one film former different from the at least one polymethylsilsesquioxane film former, wherein the emulsion is in the form of a water-in-oil emulsion or an oil-in-water

05725.0537-00

emulsion, and further wherein the at least one polymethylsilsesquioxane film former is present in an amount effective to provide at least one property chosen from long wear and transfer resistance. In one embodiment, the at least one polymethylsilsesquioxane film former is present in the inventive composition in an amount effective to provide both long wear and transfer resistant properties.

[026] Further, the present invention provides cosmetic foundation compositions, mascara compositions, sunscreen compositions, eyeliner compositions, and make-up compositions for lips, wherein each of the compositions comprises at least one polymethylsilsesquioxane film former and at least one film former which is different from the at least one polymethylsilsesquioxane film former, wherein the at least one polymethylsilsesquioxane film former is present in an amount effective to provide at least one property chosen from long wear and transfer resistance. In certain embodiments, the at least one polymethylsilsesquioxane film former is present in the inventive composition in an amount effective to provide both long wear and transfer resistance.

[027] Certain terms used herein are defined below:

[028] "At least one" as used herein means one or more and thus includes individual components as well as mixtures/combinations.

[029] "Film former" as used herein means a polymer that, after dissolution in at least one solvent (such as, for example, water and organic solvents), leaves a film on the substrate to which it is applied once the at least one solvent evaporates.

RECEIVED
U.S. PATENT & TRADEMARK OFFICE
MAR 11 2008

[030] "Transfer resistance" as used herein refers to the quality exhibited by compositions that are not readily removed by contact with another material, such as, for example, a glass, an item of clothing or the skin, for example, when eating or drinking. Transfer resistance may be evaluated by any method known in the art for evaluating such. For example, transfer resistance of a composition may be evaluated by a "kiss" test. The "kiss" test may involve application of the composition to human lips followed by "kissing" a material, for example, a sheet of paper, after expiration of a certain amount of time following application, such as 2 minutes after application. Similarly, transfer resistance of a composition may be evaluated by the amount of product transferred from a wearer to any other substrate, such as transfer from the neck of an individual to a collar after the expiration of a certain amount of time following application. The amount of composition transferred to the substrate (e.g., collar, or paper) may then be evaluated and compared. For example, a composition may be transfer resistant if a majority of the product is left on the wearer, e.g., lips, neck, etc. In one embodiment, little or no composition is transferred to the substrate. Further, the amount transferred may be compared with that transferred by other compositions, such as commercially available compositions.

[031] "Long wear" compositions as used herein, refers to compositions where at least one property chosen from consistency, texture, and color remains the same as at the time of application, as viewed by the naked eye, after an extended period of time, such as, for example, 1 hour, 2 hours, and further such as 8 hours. Long wear properties may be evaluated by any method known in the

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-408-4000

art for evaluating such properties. For example, long wear may be evaluated by a test involving the application of a composition to human skin (including lips) and evaluating the consistency, texture and color of the composition after an extended period of time. For example, the consistency, texture and color of a lip composition may be evaluated immediately following application and these characteristics may then be re-evaluated and compared after an individual has worn the lip composition for a certain amount of time. Further, these characteristics may be evaluated with respect to other compositions, such as commercially available compositions.

[032] "Waterproof" as used herein refers to the ability to repel water and permanence with respect to water. Waterproof properties may be evaluated by any method known in the art for evaluating such properties. For example, a mascara composition may be applied to false eyelashes, which may then be placed in water for a certain amount of time, such as, for example, 20 minutes. Upon expiration of the pre-ascertained amount of time, the false eyelashes may be removed from the water and passed over a material, such as, for example, a sheet of paper. The extent of residue left on the material may then be evaluated and compared with other compositions, such as, for example, commercially available compositions. Similarly, for example, a composition may be applied to skin, and the skin may be submerged in water for a certain amount of time. The amount of composition remaining on the skin after the pre-ascertained amount of time may then be evaluated and compared. For example, a composition may be

05725.0537-00

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

waterproof if a majority of the product is left on the wearer, e.g., eyelashes, skin, etc. In one embodiment, little or no composition is transferred from the wearer.

[033] A "pigment" as used herein includes white inorganic particles, colored inorganic particles, white organic particles, and colored organic particles.

[034] "Fillers" as used herein includes lamellar inorganic particles, nonlamellar inorganic particles, lamellar organic particles, nonlamellar organic particles, lamellar, wherein the particles may be colorless or white.

[035] "Mothers-of pearl" as used herein refers to iridescent particles, such as those produced by certain mollusks in their shell, and synthetic iridescent particles.

[036] "Polymers" as defined herein comprise copolymers (including terpolymers) and homopolymers.

[037] A "di-block copolymer" as defined herein is an A-B type copolymer wherein the copolymer comprises, for example, a hard segment (A) bonded to a soft segment (B) in sequence.

[038] A "tri-block copolymer" as defined herein is an A-B-A type copolymer wherein the copolymer comprises, for example, one hard segment bonded to one soft segment which, in turn, is bonded to another hard segment.

[039] "Multiblock copolymers," "radial copolymers" and "star copolymers" as used herein comprise those copolymers that comprise a combination of both hard and soft segments, provided that there are both hard and soft characteristics

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-408-4000

[040] It is to be understood that both the foregoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of the invention, as claimed. Reference will now be made in detail to exemplary embodiments of the present invention.


[041] The compositions of the present invention comprise at least one polymethylsilsesquioxane film former, that is, a film forming silsesquioxane that does not have a substituent replacing the methyl groups of the T units. The at least one polymethylsilsesquioxane film former of the present invention is necessarily a film former. Not all polymethylsilsesquioxanes are film formers, and thus, not all polymethylsilsesquioxanes are encompassed within the scope of the present invention. For example, the highly polymerized polymethylsilsesquioxanes (T Resins), such as Tospearl™ from Toshiba and KMP590 from Shin-Etsu, are highly insoluble and therefore are not film formers according to the present invention. The molecular weights of the aforementioned polymethylsilsesquioxanes are difficult to determine, and they generally contain at least 1000 T units.

[042] According to one embodiment of the present invention, the number of T units of the at least one polymethylsilsesquioxane film former is less than or equal to 500. In another embodiment, the number of T units of the at least one polymethylsilsesquioxane film former ranges from 50 to 500. In yet another embodiment, the at least one polymethylsilsesquioxane film former has a melting point ranging from 40°C to 80°C. Further, the at least one polymethylsilsesquioxane film former according to the present invention is

05725.0537-00

soluble in solvents chosen from volatile silicones and organic solvents. The weight-average molecular weight of the at least one polymethylsilsesquioxane film former generally ranges from 500 to 50,000, such as from 500 to 20,000, and further such as a weight average molecular weight of 10,000.

[043] A non-limiting example of the at least one polymethylsilsesquioxane film former is Belsil PMS MK, also referred to as Resin MK, available from Wacker Chemie. This polymethylsilsesquioxane film former is a polymer comprising polymerized repeating units of $\text{CH}_3\text{SiO}_{3/2}$ (T units) and may also contain up to 1% by weight or by mole of units of the formula $(\text{CH}_3)_2\text{SiO}_{2/2}$ (D units). The weight-average molecular weight of this polymer has been estimated to be 10,000. It is believed that the polymers are in a "cage" and "ladder" configuration, as exemplified in the figures below. The weight-average molecular weight of the "cage" unit has been calculated to be 536 g/mol. The majority of the polymer is in the "ladder" configuration, wherein the ends of the polymer are capped with ethoxy ($\text{CH}_3\text{CH}_2\text{O}$) groups. The ethoxy groups are generally present in an amount of 4.5% by weight and the mole percent is generally 7% (silicone units). As ethoxy groups may react with water, a small and variable amount of SiOH may also be present in the polymer.




[044]

[045] Cage

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNN, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-408-4000



[046]

[047] Ladder

[048] Another non-limiting example of the at least one

polymethylsilsesquioxane film former suitable for use in the present invention is KR-220L, which is available from SHIN-ETSU. This polymethylsilsesquioxane film former is composed of silicone T-units (*i.e.*, those of formula $\text{CH}_3\text{SiO}_{3/2}$) and has Si-OH (or silanol) end units. There are no D units in KR-220L.

[049] Other non-limiting examples of the at least one

polymethylsilsesquioxane film former that may be useful in the practice of the invention include KR-242A (which is comprised of methyl T units (98%) and dimethyl D units (2%) and has Si-OH end units) and KR-251 (which is comprised of methyl T units (88%) and dimethyl D units (12%) and has Si-OH end units), both of which are available from SHIN-ETSU.

[050] Depending on the application, the concentration of the at least one polymethylsilsesquioxane film former in the presently claimed composition may vary considerably. One of skill in the art will be able to determine routinely the amount of the at least one polymethylsilsesquioxane film former depending on the desired application.

[051] For example, for cosmetic foundations, the at least one

polymethylsilsesquioxane film former may be present in the composition in an

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

amount generally ranging from 0.1% to 30% by weight relative to the total weight of the composition, such as from 1% to 15% by weight. For eyeliner compositions, the at least one polymethylsilsesquioxane film former may be present in an amount generally ranging from 5% to 70% by weight relative to the total weight of the composition, such as from 20% to 70% by weight. For lip compositions, such as lipstick, the at least one polymethylsilsesquioxane film former may be present in an amount generally ranging from 1% to 70% by weight relative to the total weight of the composition, such as from 10% to 70% by weight. For mascara compositions, the at least one polymethylsilsesquioxane film former may be present in an amount generally ranging from 1% to 25% by weight relative to the total weight of the composition, such as from 5% to 20% by weight. In one embodiment, the at least one polymethylsilsesquioxane film former is present in the composition in a higher amount than the at least one film former different from the at least one polymethylsilsesquioxane film former. One of ordinary skill in the art will recognize that the at least one polymethylsilsesquioxane film former different from the at least one polymethylsilsesquioxane film former according to the present invention may be commercially available, and may come from suppliers in the form of a dilute solution. The amounts of the at least one polymethylsilsesquioxane film former disclosed herein therefore reflect the weight percent of active material.

[052] Thus, as the inventive compositions may be used in a variety of cosmetic, dermatological and/or pharmaceutical products, the effective amount of the at least one polymethylsilsesquioxane film former in a product (whether

cosmetic or dermatological or pharmaceutical) is the amount necessary to obtain the desired degree of at least one property chosen from long wear and transfer resistance. One of ordinary skill in the art will also be able to determine routinely the amount of the at least one polymethylsilsesquioxane film former, the at least one film former different from the at least one polymethylsilsesquioxane film former, and any other ingredients, if present, needed to obtain a stable product depending on the application.

[053] According to the present invention, the at least one film former different from the at least one polymethylsilsesquioxane film former may, for example, be chosen from those listed at pages 1744 to 1747 of the CTFA International Cosmetic Ingredient Dictionary, 8th edition (2000). In one embodiment, the at least one film former different from the at least one polymethylsilsesquioxane film former is chosen from di-block copolymer film formers, tri-block copolymer film formers, multi-block copolymer film formers, radial copolymer film formers, and star block copolymer film formers, wherein the at least one film former different from the at least one polymethylsilsesquioxane film former comprises at least two thermodynamically incompatible segments. As defined herein, the foregoing copolymers comprise distinctive arrangements of both hard and soft segments. A non-limiting example of a hard segment is styrene, while non-limiting examples of soft segments include ethylene, propylene, butylene and combinations of any of the foregoing soft segments.

[054] Non-limiting examples of the at least one film former different from the at least one polymethylsilsesquioxane film former useful in the present

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

invention include: vinylpyrrolidone/vinyl acetate (PVP/VA) copolymers, such as Luviskol® VA copolymers available from BASF® Corporation and PVP/VA series copolymers available from from ISP; acrylic fluorinated emulsion film formers, such as Foraperle® film formers (e.g., Foraperle® 303 D available from Elf Atochem), although Foraperle® may not be suitable for some cosmetic formulations; GANEX® copolymers, such as butylated PVP, PVP/Hexadecene copolymers, PVP/Eicosene copolymers, and tricontanyl; Poly(vinylpyrrolidone/diethylaminoethyl methacrylate) copolymers and PVP/Dimethylaminoethylmethacrylate copolymers such as Copolymer 845 available from I.S.P.; Resin ACO-5014 (Imidized IB/MA copolymer); other PVP based polymers and copolymers; silicone gums; cyclomethicone copolymers and dimethicone crosspolymers, such as Dow Corning® 2-9040 and those disclosed in U.S. Patent No. 5,654,362, the disclosure of which is hereby incorporated by reference; trimethyl siloxysilicates such as SR 1000, 554230, and SS4267 available from GE Silicones; alkyl cycloalkylacrylate copolymers, such as those disclosed in WO 98/42298, the disclosure of which is hereby incorporated by reference; Mexomere® film formers and other allyl stearate/vinyl acetate copolymers; polyolprepolymers, such as PPG-12/SMDI copolymer, also called Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy-polymer with 1,1'-methylene-bis-(4-isocyanatocyclohexane) available from Barnet; and Avalure™ AC Polymers (Acrylates Copolymer) and Avalure™ UR polymers (Polyurethane Dispersions), available from BFGoodrich.

RECEIVED
JAN 11 1999
FBI
WASHINGTON, DC

LAW OFFICES
FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

[055] In one embodiment, the at least one film former different from the at least one polymethylsilsesquioxane film former is chosen from Kraton® rubber copolymers (which are available from Shell Chemical Company) and similar gelling agents. The Kraton® rubber configuration is well known in the art and any block copolymer film former, such as gelling agents, with a similar configuration is within the practice of the invention. In another embodiment, the at least one film former different from the at least one polymethylsilsesquioxane film former is chosen from Kraton® rubber copolymers and is present in a gel in an amount ranging from 10% to 20% by weight relative to the total weight of the composition.

[056] Each molecule of Kraton® rubber comprises block segments of (i) styrene units and (ii) rubber monomer and/or co-monomer units. Thus, Kraton® rubber copolymers are thermoplastic elastomers in which the polymer chains have a configuration chosen from tri-block configurations, di-block configurations, radial block configurations, star block configurations and mixtures of any of the foregoing configurations. The configurations of each of the Kraton® rubbers form separate polystyrene and rubber domains.

[057] The Kraton® tri-block rubber copolymers are comprised of polystyrene segments on each end of a rubber segment, while the Kraton® di-block rubber copolymers are comprised of a polystyrene segment attached to a rubber segment. The most common Kraton® triblock copolymers are linear A-B-A block type styrene-butadiene-styrene copolymers, linear A-B-A block styrene-isoprene-styrene copolymers, and linear A-B-A block styrene-ethylenebutylene-

RECEIVED

styrene copolymers. Non-limiting examples of the Kraton® di-block copolymers include AB block type copolymers such as styrene-ethylenepropylene copolymers, styrene-ethylenebutylene copolymers, styrene-butadiene copolymers, and styrene-isoprene copolymers. The Kraton® radial or star configuration, in another embodiment, may, for example, be a four-point or other multipoint star made of rubber with a polystyrene segment attached to each end of a rubber segment.

[058] In another embodiment, the at least one film former different from the at least one polymethylsilsesquioxane film former is chosen from block copolymer film formers comprising at least one styrene/butylene/ethylene/styrene copolymer (tri-block) and at least one ethylene/propylene/styrene copolymer (radial or star block). Similarly, corresponding block copolymers which are referred to as "hydrogenated" block copolymers by the manufacturer (e.g., hydrogenated styrene/butylene/ethylene/styrene copolymer (tri-block) and hydrogenated ethylene/propylene/styrene copolymer (radial or star block)) are within the scope of the invention. Non-limiting examples of suitable block copolymer film formers include Versagel M5960 and Versagel M5970, which are available from Penreco of Houston TX, and block copolymers available from Brooks Industries, such as Gel Base.

[059] According to the present invention, the at least one film former different from the at least one polymethylsilsesquioxane film former may be formulated by dissolving it in at least one solvent. In one embodiment, the at least one solvent is chosen from hydrocarbons. Non-limiting examples of

11/11/11 10:11:11 AM

hydrocarbons useful in the practice of the invention include mineral oils, mineral solvents, mineral spirits, petroleum, waxes, synthetic hydrocarbons, animal oils, vegetable oils. For example, the at least one film former different from the at least one polymethylsilsesquioxane film former may be formulated by dissolving it in isododecane and/or a light paraffinic solvent. In another embodiment, the at least one solvent is chosen from non-hydrocarbon solvents. Non-limiting examples of non-hydrocarbon solvents include amyl acetate, butyl acetate, isobutyl acetate, ethyl acetate, propyl acetate, and isopropyl acetate.

[060] The solvent and solubility conditions for formulating the at least one film former different from the at least one polymethylsilsesquioxane film former will be chosen by a person skilled in the art in order to prepare a composition which has the desired properties. One of ordinary skill in the art will be able to determine the solubility parameters and choose a solvent based on the at least one film former different from the at least one polymethylsilsesquioxane film former chosen for the envisaged application. More information regarding solubility parameters and solvents useful in the processing of specific film formers is available from the various manufacturers, e.g., Shell Chemical Company. Additional discussions of polymer solubility parameter concepts are presented in: Encyclopedia of Polymer Science and Technology, Vol.3, Interscience, New York (1965) and Encyclopedia of Chemical Technology, Supp. Vol., Interscience, New York (1971), the disclosures of which are hereby incorporated by reference.

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

[061] In one embodiment, the at least one film former different from the at least one polymethylsilsesquioxane film former according to the present invention is water insoluble, can be processed at room temperature, offers excellent adherence to the skin, and is tack free. In another embodiment, the at least one film former different from the at least one polymethylsilsesquioxane film former is present in the continuous phase of a cosmetic formulation in a high concentration. In yet another embodiment, the at least one film former different from the at least one polymethylsilsesquioxane film former is compatible with other components which may be comprised within the same phase.

[062] According to the present invention, the amount of the at least one film former different from the at least one polymethylsilsesquioxane film former may readily be determined by one of skill in the art and can vary considerably depending on the desired application. For example, for cosmetic compositions, the at least one film former different from the at least one polymethylsilsesquioxane film former may be present in the cosmetic composition in an amount generally ranging from 1% to 55% by weight relative to the total weight of the composition, such as from 1% to 25% by weight. One of ordinary skill in the art will recognize that the at least one film former different from the at least one polymethylsilsesquioxane film former according to the present invention may be commercially available, and may come from suppliers in the form of a dilute solution. The amounts of the at least one film former different from the at least one polymethylsilsesquioxane film former disclosed herein therefore reflect the weight percent of active material.

[063] In one embodiment, the inventive composition is an emulsion, such as a water-in-oil emulsion or an oil-in-water emulsion. While the at least one polymethylsilsesquioxane and the at least one film former different from the at least one polymethylsilsesquioxane film former of the present invention may be in the water or in the oil phase of an emulsion, in certain embodiments, maximum efficacy has been demonstrated when the at least one polymethylsilsesquioxane and the at least one film former different from the at least one polymethylsilsesquioxane film former are in the oil phase.

[064] The inventive compositions of the present invention may further comprise at least one additional ingredient different from both the at least one polymethylsilsesquioxane film former and the at least one film former different from the at least one polymethylsilsesquioxane film former of the present invention. Non-limiting examples of the at least one additional ingredient include gelling agents, oils, waxes, preservatives, suspending agents, thickening agents, solvents, surfactants, emollients and other ingredients that, when incorporated into the inventive compositions, may stay on to the surface of the skin and may not strongly adhere to the skin.

[065] Characteristics of the at least one additional ingredient may include the ability to impart an oily feeling and/or increased spreadability, for example, as observed with some esters and organic sunscreens. In one embodiment, where the inventive composition further comprises at least one additional ingredient, for example, to enhance the spreadability and the emollience of the product, the at least one additional ingredient is present in the composition in an amount that is

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

sufficient to allow the composition to retain its transfer resistance and long wear properties.

[066] Non-limiting examples of suspending agents and thickening agents suitable for use in the present invention as the at least one additional ingredient include waxes, silica gels, gums such as xanthan gum, cellulose derivatives, clays including organoclays, silicas such as fumed silica, fatty acid soaps, and various hydrocarbon gels. For example, hydrocarbon gels comprising di-block, tri-block, multi-block and/or radial or star block copolymers are used in the art as gelling agents, suspending agents, and/or dispersing agents. See e.g., U.S. Patent No. 5,756,082, WO 98/42298, and EP 0497 144 B1, the disclosures of which are hereby incorporated by reference. Copolymers of this type are known in the art to have advantageous properties when used as suspension agents for various solids and liquids. See WO 98/38981, the disclosure of which is hereby incorporated by reference. In one embodiment, at least one thickening agent is present in the inventive composition in an amount generally ranging from 0.1% to 10% by weight relative to the total weight of the composition.

[067] Non-limiting examples of emollients that may be used in the compositions of the present invention as the at least one additional ingredient include glycerine, propylene glycol, cyclomethicone, and dimethicone. Other non-limiting examples of suitable emollients include the compounds disclosed in the International Cosmetic Dictionary and Handbook Vol. 2, such as the emollients disclosed on pages 1656-1661, the disclosures of which are hereby incorporated by reference. In one embodiment, at least one emollient is present

in the inventive composition in an amount ranging from 0.5% to 8% by weight relative to the total weight of the composition.

[068] Other non-limiting examples of the at least one additional ingredient include fatty substances, waxes and formulation aids which are traditionally employed in the field of application envisaged. Non-limiting examples of fatty substances include silicones in esterified and unesterified liquid form and silicones in esterified solid form (such as behenate dimethicone), nonsilicone fatty substances (such as vegetable oils, mineral oils, animal oils, synthetic oils, vegetable pastes, mineral pastes, animal pastes, synthetic pastes, vegetable waxes, mineral waxes, animal waxes, and synthetic waxes). Non-limiting examples of suitable formulation aids include organic emulsifiers and organosilicone emulsifiers, such as, for example, those used in water-in-oil systems and those used in oil-in-water systems. Non-limiting examples of organic emulsifiers include any ethoxylated surfactants known in the art, such as Polysorbate-20, Laureth-7, and Laureth-4. Non-limiting examples of organosilicone emulsifiers include cetyl dimethicone copolyol-polyglyceryl-4-isostearate- hexylaurate (ABIL® WE 09) available from Goldschmidt Chemical Corporation, Cetyl Dimethicone Copolyol (ABIL® EM 90), (ABIL® EM 97), Laurylmethicone Copolyol (5200), Cyclomethicone (and) Dimethicone Copolyol (DC 5225 C) available from GE silicones, and Cyclopentasiloxane & Dimethicone Copolyol (GE SF 1528).

[069] Formulation aids, if present, are present in the inventive compositions in an amount generally ranging from 1% to 15% by weight relative

05725.0537-00

to the total weight of the composition. Further, these formulation aids may be selected by the person skilled in the art in order to prepare a composition which has the desired properties, such as, for example, consistency or texture. For example, the compositions according to the invention may include at least one of the above mentioned waxes, so as to ensure a good mechanical strength, such as, for example, when the composition is in the form of a stick.

[070] Another non-limiting example of the at least one additional ingredient suitable for use in the inventive compositions is spherical compounds such as polyurethanes such as BPD 500, nylon 12, silica, acrylates, esters of acrylates, methacrylates such as polymethyl methacrylates, esters of methacrylates, and other microspheres. These spherical compounds, when present in the inventive compositions, may impart a smooth feeling when the composition is applied and spread onto skin.

[071] Further, the at least one additional ingredient may be chosen from customary additives from the field of compositions to be applied in any cosmetic formulation (including cosmetic foundations, eyeliners, lip compositions, mascaras, eyeshadows, concealers, lotions) and any other aforementioned applications of the invention such as: hectorites; synthetic polymers (such as acrylic polymers or associative polymers of the polyurethane type); spreading agents; dispersants; antifoaming agents; wetting agents; UV-screening agents; antioxidants; perfumes; essential oils; essential fatty acids; pigments; mothers-of-pearl; fillers; cosmetic active agents; dermatological active agents;

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

pharmaceutical active agents; moisturizers; vitamins; biological materials; and derivatives of any of the foregoing.

[072] Non-limiting examples of pigments that may be used in the practice of the invention include titanium dioxide, D & C Red No. 7 Calcium Lake, D & C Red No. 21 Aluminum Lake, Iron Oxides, FD & C Yellow No. 5 Aluminum Lake, FD & C Blue No. 1 Aluminum Lake and any other pigments (including treated pigments) known in the cosmetic arts.

[073] The at least one additional ingredient may be chosen from fillers and mothers-of-pearl. These ingredients may modify the texture of the inventive composition and the matteness/gloss effect. Non-limiting examples of pearling agents that may be used in the practice of the invention include mica, iron oxides, titanium dioxide and any other pearling agent known in the cosmetic arts.

[074] Needless to say, a person skilled in the art will take care to select the at least one suitable additive such that the advantageous properties of the composition in accordance with the invention are not, or are not substantially, adversely affected by the addition(s) envisaged.

[075] According to the present invention, the inventive compositions may enable the processing of a formulation and/or a product which comprises a large amount of a volatile solvent at a low temperature. In one embodiment, a formulation comprising at least one inventive composition is capable of being processed at a temperature of 55°C or lower.

[076] Further, the compositions of the present invention may provide at least one property chosen from long wear and transfer resistance in a broad

RECEIVED
JUN 10 2005
FBI
WASHINGTON, DC

[079] The present invention is also directed to cosmetic foundation compositions. In one embodiment, the foundation composition comprises (i) at least one polymethylsilsesquioxane film former, (ii) at least one film former

different from the at least one polymethylsilsesquioxane film former, (iii) at least one thickening agent in an amount ranging from 0.1 to 10% by weight relative to the total weight of the composition, and (iv) at least one emollient in an amount ranging from 0.5% to 8% by weight relative to the total weight of the composition.

[080] The present invention is also directed to a mascara composition.

Mascara compositions comprising at least one polymethylsilsesquioxane film former, and at least one film former different from the at least one polymethylsilsesquioxane film former may, in one embodiment, provide at least one property chosen from long wear and transfer resistance. Further, the inventive mascara composition may provide waterproof properties.

[081] In one embodiment, the inventive mascara composition comprises Resin MK (the at least one polymethylsilsesquioxane film former) and Versagel M5960 (the atleast one film former different from the at least one polymethylsilsesquioxane film former). In another embodiment, the inventive mascara composition further comprises at least one allyl stearate/vinyl acetate copolymer film former. A non-limiting example of at least one allyl stearate/vinyl acetate copolymer film former is Mexomere® film former, and this copolymer film former may be present, for example, in an amount ranging from 0.5 % to 10% by weight relative to the total weight of the composition.

[082] Another subject of the present invention is compositions, such as, for example, suntan lotions and sunscreen lotions, comprising (i) at least one polymethylsilsesquioxane film former, (ii) at least one film former different from the at least one polymethylsilsesquioxane film former, and (iii) at least one UV

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

absorber. These inventive compositions may provide at least one property chosen from long wear, transfer resistance, and waterproof properties.

[083] Another subject of the present invention is eyeliner compositions. The inventive eyeliner compositions may provide at least one property chosen from long wear and transfer resistance. Further, the inventive eyeliner compositions may provide waterproof properties. In one embodiment, the eyeliner composition comprises Resin MK (the at least one polymethylsilsesquioxane film former) and at least one film former different from the at least one polymethylsilsesquioxane film former, such as Versagel M5970. In another embodiment, the inventive eyeliner composition further comprises at least one allyl stearate/vinyl acetate copolymer film former, such as a Mexomere® film former. The at least one allyl stearate/vinyl acetate copolymer film former may be present in the composition in an amount generally ranging from 0.5 % to 3.5% by weight relative to the total weight of the composition.

[084] According to the present invention, the inventive eyeliner compositions may further comprise at least one entity chosen from hydrocarbon gels, bentone type gels, waxes (such as beeswax, carnauba wax and derivatives thereof), preservatives, propylene carbonate, isododecane, silica, silica silylate, petroleum distillates, polyethylene, preservatives, and pigments (such as iron oxides, ultramarines, and black oxides). Non-limiting examples of bentone type gels include Gel SS71, Gel EA2786, Quaternium-18 Bentonite, 38 CE, Gel ISD V and Gel ISD. For example, if present, bentone type gels may be present in the

composition in an amount generally ranging from 0.5% to 50% by weight relative to the total weight of the composition.

[085] The present invention is also directed to a make-up composition for lips, such as human lips, comprising the at least one polymethylsilsesquioxane, such as Resin MK, and at least one film former, such as Versagel M5970, in a quantity sufficient to obtain a transfer resistant film. The film may have at least one property chosen from long wear and transfer resistance.

[086] The packaging and application device for any subject of the invention may be chosen and manufactured by persons skilled in the art on the basis of their general knowledge, and adapted according to the nature of the composition to be packaged. Indeed, the type of device to be used may be in particular linked to the consistency of the composition, such as to its viscosity; and may depend on the nature of the constituents present in the composition, such as the presence of volatile compounds.

[087] Unless otherwise indicated, all numbers expressing quantities of ingredients, reaction conditions, and so forth used in the specification and claims are to be understood as being modified in all instances by the term "about." Accordingly, unless indicated to the contrary, the numerical parameters set forth in the following specification and attached claims are approximations that may vary depending upon the desired properties sought to be obtained by the present invention. At the very least, and not as an attempt to limit the application of the doctrine of equivalents to the scope of the claims, each numerical parameter

11/11/2011 11:11:11 AM

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

[088] Notwithstanding that the numerical ranges and parameters setting forth the broad scope of the invention are approximations, the numerical values set forth in the specific examples are reported as precisely as possible. Any numerical value, however, inherently contains certain errors necessarily resulting from the standard deviation found in their respective testing measurements. The following examples are intended to illustrate the invention without limiting the scope as a result.

[089] **Example 1:**

[090] An inventive mascara composition comprising at least one polymethylsilsesquioxane and at least one film former different from the polymethylsilsesquioxane was prepared. The wear and transfer characteristics of the inventive mascara were compared to a comparative mascara composition comprising trimethylsiloxysilicate instead of polymethylsilsesquioxane. All ingredients are listed in weight %.

[091]

	Composition A (Inventive)	Composition B (Comparative)
Volatile solvent	39.89	39.89
Polymethylsilsesquioxane ¹	8.00	--
Trimethylsiloxysilicate ²	--	8.00
Film formers (Isododecane and hydrogenated styrene-butylene-ethylene-styrene copolymer and hydrogenated ethylene-propylene-styrene copolymer ³)	16.50	16.50
Bentone	5.50	5.50
Pigments	6.00	6.00
Emulsifier	0.50	0.50
Propylene Carbonate	1.80	1.80
Film Former	5.00	5.00
Waxes	16.80	16.80
Preservatives	0.01	0.01

¹: Silicone Resin MK available from Wacker

²: Resin MQ available from Dow Corning

³: Versagel MD5970 available from Penreco

[092] The inventive mascara A exhibited long wear and non transfer characteristics as well as a better feel. Further, the film deposited on the lashes

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

by the inventive mascara A was less brittle than that deposited by the comparative mascara B.

[093] **Example 2**

[094] An inventive make-up composition for lips comprising at least one polymethylsilsesquioxane and at least one film former different from the polymethylsilsesquioxane was prepared. The adhesion of the inventive composition was compared to a comparative lip composition comprising trimethylsiloxysilicate instead of polymethylsilsesquioxane. All ingredients are listed in weight %.

	Composition A (Inventive)	Composition B (Comparative)
Waxes	24.50	24.50
Polymethylsilsesquioxane ¹	15.00	--
Trimethylsiloxysilicate ²	--	15.00
Volatile solvents	25.00	25.00
Ester emollients	11.70	11.70
Silicone emollients	10.00	10.00
PVP/Hexadecene Copolymer	4.60	4.60
Acrylates copolymers	1.00	1.00
Pigments	1.30	1.30
Fillers	6.50	6.50
Preservatives	0.40	0.40

¹: Silicone Resin MK available from Wacker

²: Resin MQ available from Dow Corning

[095] The inventive composition A provided better adhesion.

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

[096] **Example 3**

[097] An foundation composition comprising at least one polymethylsilsesquioxane film former (Resin MK) and at least one film former different from the polymethylsilsesquioxane film former was prepared. The adhesion of the inventive composition was compared to a comparative foundation composition comprising trimethylsiloxysilicate instead of polymethylsilsesquioxane. All ingredients are listed in weight %.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208

[098]

	Composition A (Inventive)	Composition B (Comparative)
Phase A		
Organosilicone emulsifier	8.00	8.00
Ester emollient	2.50	2.50
Pigments	10.00	10.00
Fillers	1.00	1.00
Preservative	0.10	0.10
Phase B		
Volatile Solvent	15.00	15.00
Bentone	0.80	0.80
Propylene carbonate	0.15	0.15
Trimethylsiloxysilicate resin ¹	--	12.00
Resin MK ²	12.00	--
Film formers (Isododecane & hydrogenated styrene-butylene-ethylene-styrene copolymer and hydrogenated ethylene-propylene-styrene copolymer ³)	8.00	8.00
Phase C		
Propylene Glycol	1.50	1.50
Preservative	0.40	0.40
Phase D		
Fillers	1.45	1.45
Phase E		
Distilled Water	38.00	38.00
Emulsifier	0.20	0.20
Preservative	0.30	0.30
Salt	0.60	0.60

¹: Trimethylsiloxysilicate resin available from GE as SR1000

²: Silicone Resin MK available from Wacker

³: Versagel MD570 from Penreco.

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, CARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

[illegible]

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000